


# Shop Accessories



# Opti-Shield/Work Lights

## Opti-Shields

Reduces The Aggravation Of Flying Chips And Splashing Coolant



### Opti-Shields & Replacement Shields

CAT. NO.	DESCRIPTION	CODE
8550-226	6" x 6" Opti-Shield	H
8550-420	9" x 9" Opti-Shield	H
8550-255	12" x 12" Opti-Shield	H
8550-256	6" x 6" Replacement Shield	FF
8550-421	9" x 9" Replacement Shield	FF
8550-259	12" x 12" Replacement Shield	FF

### FEATURES:

- 360 degree adjustability
- Durable, clear polycarbonate shield
- Magnetic base holds firmly in position
- Adjustable length
- Variety of replacement shield sizes

### BENEFITS:

- Adapts instantly to machine surfaces
- Splash protection
- Chip protection
- Serves as deflector for additional safety
- Protection without visual distortion

### APPLICATION NOTE:

- Also fits Snap-Loc C-Clamp Base and Spring Clamp Base options.

## Opti-Light

### High-Intensity Halogen Models



### Opti-Lights

CAT. NO.	DESCRIPTION	CODE
8702-078	115V Work Light Pac	F
8702-0+	Dual Voltage (12/115V) High Intensity Universal Halogen Light Pac	F
6360-021	Lamp Halogen 20W 12V	FF

### APPLICATION NOTE:

- Also fits Snap-Loc C-Clamp Base and Spring Clamp Base options.

### FEATURES:

- 20 Watt Halogen lamp has an integral reflector and glass lens
- Dual Voltage (12/115V.) model comes with 20 foot cord and 12 volt cigarette lighter for automotive use, along with an 8 foot cord and 12/115 V. plug-in transformer
- Flexes into position
- No spring back
- Adjustable length
- Comes with magnetic base

# Opti-View/Opti-Arm/Bases



## Opti-View Magnification At-A-Glance

### FEATURES:

- Magnification power of 2X
- Stays in position. Arm flexes easily to desired position and stays there
- Opti-View can be easily moved into use or out of the way
- Eases eye fatigue when working with small parts
- Take it with you...stores easily in toolbox or briefcase for next use

### Opti-View

CAT. NO.	DESCRIPTION	CODE
8550-283	Opti-View Pac with 3" Round Magnifier, Magnetic Base	F
8450-155	1/2" I.D. Hose Segment Black/Plastic (Approx. 12")	A

### APPLICATION NOTE:

- Also fits Snap-Loc C-Clamp Base and Spring Clamp Base options.



## Opti-Arm

### An Extra Arm When And Where You Need It

### Opti-Arm

CAT. NO.	DESCRIPTION	CODE
8550-250	1/2" Opti-Arm Plastic Clip, Magnetic Base	F
8450-155	1/2" I.D. Hose Segment Black Plastic (Approx. 12")	A

### FEATURES:

- Bases hold firmly in position
- Easy adjustment with arm made of Snap-Loc Systems (Approx. 12")
- Adjustable length
- Adapts instantly to variety of work surfaces

### APPLICATIONS:

- Great organizer for machinist
- Blueprint holder at machine
- Convenient for plans and memos
- Ideal for manufacturing instructions on assembly line
- Use two to hold large prints

### APPLICATION NOTE:

- Also fits Snap-Loc C-Clamp Base and Spring Clamp Base options.



A



B



C

## Base Options

### Hold Snap-Loc System Products To Work Surfaces

### Base Options

CAT. NO.	DESCRIPTION	FIG.	CODE
8702-013	Mag Base 82# Pull 2-5/8" Dia., Metal	(A)	E
8702-018	Heavy Duty "C" Clamp Black / Plastic	(B)	E
8702-033	Spring Clamp Base Plastic	(C)	E

### APPLICATION SUGGESTIONS

- Strong magnetic hold for metal surfaces
- Clamps to flat or round surfaces; up to 1-1/2" thick
- May be used on variety of surfaces – no scratching

### APPLICATIONS NOTE:

These replacement bases include a 1/2" Adapter and can be used with:

- Opti-Arm • Opti-View • Opti-Lights • Opti-Shields

# E-Z Skim

## Model 10 Oil Skimmer for Machine Tool Coolant Tanks



CAT. NO.	DESCRIPTION	CODE
8709-001	Model 10 E-Z Skim For Machine Tool Coolant Tanks	Y
6374-001	Fan-Cooled Gear Motor	YY
8709-002	E-Z Skim 1" Stainless Belt	YY
8709-012	E-Z Skim 1" x 54" Poly Belt	YY
8709-003	Belt Wiper Blades (2)	YY

### MODEL 10 FEATURES:

- Belt Arm pivots in 15 degree increments to allow use in deep or shallow tanks.
- Belt extends vertically up to 16" into tank.
- Plated steel framework and molded plastic housing.
- Comes with durable 1" wide polyurethane Belt.
- Easily replaceable Belt Wipers.
- Comes with three Mounting Brackets for barrel mount, flanged or straight wall tank mounts.
- Shipping weight approximately 11 pounds
- Assembled dimensions approximately 5-1/4" long x 6-1/8" wide x 31-1/2" high.
- Compact design permits convenient use in almost any location
- Efficiently removes up to a gallon or more of oil per hour depending on conditions.

# Tappers Replacement Parts

SHOP  
Accessories


## Assure Straight Perpendicular Tapped Holes



**8200-001**  
**Model 790 Mini-Tapper**

**FEATURES:**

- Complete with tap guide, precision ground work table, tap spindle wrench, and 7 steel tap adapters... #0-#6 (2), #8, #10, #12, 1/4", 5/16". Use spiral point taps, not included.
- Large ribbed diameter with feather touch control for sensitive tapping (#0/80)
- Convenient handle for larger tapping (5/16").
- Size and weight makes unit portable



**8200-002**  
**Model 780 E-Z Tapper**

**FEATURES:**

- Complete with tap guide, precision ground work table, tap spindle wrench, and 9 steel tap adapters... #8, #10, 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4". Use spiral point taps, not included.
- Tap spindle wrench is removable for lathe use with dead center
- Size and weight makes unit portable

CAT. NO.	DESCRIPTION	CODE
8200-001	Model 790 Mini-Tapper 9" High, Table Length 8-1/2" x 6" Wide Clearance Height 3-3/4" Depth of Throat 4-1/2" Approximate Weight 10 lbs.	R
8200-043	Mini-Tap Adapter Set (7)	RR

CAT. NO.	DESCRIPTION	CODE
8200-002	Model 780 E-Z Tapper 14" High, Table Length 13" x 8" Wide Clearance Height 7" Depth of Throat 7-1/2" Approximate Weight 30 lbs	R
8200-042	E-Z Tap Adapter Set (9)	RR
8200-044	E-Z Tap Adapter Set (8) Metric	RR

### Tap Adapters Fit American and Metric Taps

Mini-Tapper Adapter	E-Z Tapper Adapter	Fits Tap Sizes	Fits Tap Sizes	Dia. Tap Shank	Size of Tap(top)
CAT. NO.	CAT. NO.	American	Metric	(Inches)	(Inches)
8200-016	-----	#0 - #6	M1.6	.141	.110
			M1.8	.141	.110
			M2	.141	.110
			M2.2	.141	.110
			M2.5	.141	.110
			M3	.141	.110
			M3.15	.141	.110
			M3.5	.141	.110
8200-017	8200-028	#8	M4	.168	.131
8200-018	8200-029	#10	M4.5	.194	.152
			M5	.194	.152

Mini-Tapper Adapter	E-Z Tapper Adapter	Fits Tap Sizes	Fits Tap Sizes	Dia. Tap Shank	Size of Tap(top)
CAT. NO.	CAT. NO.	American	Metric	(Inches)	(Inches)
8200-019	-----	#12	-----	.220	.165
8200-020	8200-030	1/4"	M6	.255	.191
			M6.3	.255	.191
8200-021	8200-031	5/16"	M7	.318	.238
			M8	.318	.238
-----	8200-032	3/8"	M10	.381	.286
-----	8200-033	7/16"	-----	.323	.242
-----	8200-034	1/2"	M12	.367	.275
-----			M12.5	.367	.275
-----	8200-035	5/8"	M16	.480	.360
-----	8200-036	3/4"	-----	.590	.442

## Table Guard & Tote



- **Protects table top**

**BENEFITS:**

- Keep your tools in easy reach.
- Stops chips from falling into " T " slots.
- Step-saver--easy way to carry your tools.
- Specially grooved to fit right into table's " T " slots.
- Heavy duty plastic-- won't dent, chip, or peel.



- **Handy carry tray**

CAT. NO.	DESCRIPTION	CODE
8706-001	Table Guard & Tote Tray Pac (1 Set of 2 Trays)	X